

Table 1.9A Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Numbers in Thousands, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	2,123 ^a	2,609	529	567	1,153 ^a	1,489	441	553
GENDER								
Male	932 ^b	1,378	207	232	516 ^a	787	208	359
Female	1,191	1,232	322	335	637	702	233	194
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,893	2,208	448	483	1,036	1,215	409	510
White	1,617	1,813	351	411	918	1,007	347	395
Black or African American	165	256	49	49	92	143	24	64
American Indian or Alaska Native	40	62	*	3	*	8	*	*
Native Hawaiian or Other Pacific Islander	*	3	*	2	*	*	*	*
Asian	25	33	25 ^a	3	*	30	*	*
Two or More Races	36	41	9	16	12	25	*	*
Hispanic or Latino	230 ^a	401	81	84	117 ^a	274	32	43
CURRENT EMPLOYMENT								
Full-Time	601 ^b	982	140	190	410 ^a	627	51	166
Part-Time	448	338	162	136	229	185	58	17
Unemployed	315	402	104	112	158	220	54	69
Other ¹	759	886	124	129	357	456	278	302

*Low precision; no estimate reported.

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.9B Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics: Percentages, 2011 and 2012

Demographic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	0.9 ^a	1.1	1.5	1.6	1.2 ^a	1.5	0.4	0.5
GENDER								
Male	0.8 ^b	1.2	1.2	1.3	1.1 ^a	1.6	0.4	0.8
Female	1.0	1.0	1.9	1.9	1.3	1.4	0.4	0.4
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1.0	1.1	1.6	1.8	1.3	1.5	0.4	0.5
White	1.0	1.2	1.8	2.1	1.5	1.7	0.5	0.5
Black or African American	0.6	0.9	1.0	1.0	0.8	1.2	0.2	0.6
American Indian or Alaska Native	3.1	4.8	*	1.1	*	1.6	*	*
Native Hawaiian or Other Pacific Islander	*	0.3	*	0.8	*	*	*	*
Asian	0.2	0.3	1.3 ^a	0.2	*	0.5	*	*
Two or More Races	1.1	1.2	1.2	2.1	1.0	1.9	*	*
Hispanic or Latino	0.7 ^a	1.2	1.1	1.2	0.7 ^a	1.5	0.4	0.5
CURRENT EMPLOYMENT								
Full-Time	0.5 ^b	0.8	1.1	1.4	0.6 ^a	1.0	0.1	0.4
Part-Time	1.4	1.0	1.7	1.5	2.0	1.6	0.5	0.1
Unemployed	2.3	3.0	2.3	2.7	2.7	3.7	1.7	2.0
Other ¹	1.1	1.2	1.6	1.7	2.4	3.1	0.6	0.6

*Low precision; no estimate reported.

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.10A Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Numbers in Thousands, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	2,123 ^a	2,609	529	567	1,153 ^a	1,489	441	553
GEOGRAPHIC REGION								
Northeast	314 ^a	483	83	108	187	300	45	74
Midwest	499	521	123	130	229	338	146	52
South	722	821	164	194	418	404	140	223
West	588	784	159	135	319	446	110	204
COUNTY TYPE								
Large Metro	1,025 ^a	1,447	286	295	546 ^a	824	192	328
Small Metro	864	840	202	202	451	485	211	153
250K – 1 Mil. Pop.	580	470	125	136	324	261	130	73
< 250K Pop.	285	370	77	66	127	223	81	80
Nonmetro	234	322	41 ^a	71	155	180	37	72
Urbanized	102	144	24	33	64	67	14	43
Less Urbanized	107	136	16	23	74	85	17	28
Completely Rural	26	43	2	15	17	28	7	*
POVERTY LEVEL¹								
Less Than 100%	664	795	147	158	381	486	135	151
100-199%	460	618	114	138	249	365	97	115
200% or More	983	1,179	251	254	523	637	209	288
EDUCATION								
< High School	474	455	91	80	253	286	129	90
High School Graduate	497 ^b	885	146	187	277 ^a	468	74 ^a	230
Some College	672	686	221	245	342	360	109	81
College Graduate	480	583	71	56	281	375	129	152
HEALTH INSURANCE²								
Private	894	1,033	311	309	450	484	133	240
Medicaid/CHIP ³	514	481	78	84	272	343	164	54
Other ⁴	386	487	38	44	139	228	210	215
No Coverage	532 ^a	811	118	142	352	539	62	130

*Low precision; no estimate reported.

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV) and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 1.10B Co-Occurring Substance Use Disorder and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Age Group, Geographic Characteristics, and Socioeconomic Characteristics: Percentages, 2011 and 2012

Geographic/Socioeconomic Characteristic	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
TOTAL	0.9 ^a	1.1	1.5	1.6	1.2 ^a	1.5	0.4	0.5
GEOGRAPHIC REGION								
Northeast	0.7 ^a	1.1	1.4	1.8	1.1	1.7	0.2	0.4
Midwest	1.0	1.0	1.7	1.8	1.1	1.7	0.7	0.2
South	0.8	0.9	1.3	1.5	1.1	1.1	0.4	0.6
West	1.1	1.4	1.9	1.6	1.4	1.9	0.5	0.9
COUNTY TYPE								
Large Metro	0.8 ^a	1.2	1.6	1.6	1.0 ^a	1.5	0.4	0.6
Small Metro	1.2	1.2	1.8	1.9	1.5	1.7	0.7	0.5
250K – 1 Mil. Pop.	1.2	1.0	1.8	2.0	1.6	1.3	0.6	0.3
< 250K Pop.	1.2	1.6	1.9	1.7	1.3	2.5	0.8	0.8
Nonmetro	0.6	0.8	0.9 ^a	1.5	1.1	1.3	0.2	0.4
Urbanized	0.7	0.9	1.1	1.5	1.0	1.1	0.2	0.5
Less Urbanized	0.6	0.8	0.7	1.0	1.1	1.3	0.2	0.3
Completely Rural	0.7	1.0	0.4 ^a	3.4	1.3	2.0	0.3	*
POVERTY LEVEL¹								
Less Than 100%	2.0	2.1	1.6	1.7	2.6	3.0	1.5	1.3
100-199%	1.0	1.4	1.3	1.7	1.2	1.9	0.5	0.6
200% or More	0.6	0.8	1.6	1.6	0.8	1.0	0.3	0.4
EDUCATION								
< High School	1.4	1.3	1.6	1.5	1.9	2.1	0.9	0.6
High School Graduate	0.7 ^b	1.3	1.3	1.6	1.1 ^a	1.8	0.2 ^a	0.7
Some College	1.1	1.1	1.8	2.0	1.3	1.4	0.5	0.3
College Graduate	0.7	0.8	1.4	1.1	0.8	1.1	0.4	0.5
HEALTH INSURANCE²								
Private	0.6	0.7	1.6	1.6	0.7	0.8	0.2	0.3
Medicaid/CHIP ³	2.2	2.1	1.4	1.5	2.7	3.6	2.2 ^a	0.7
Other ⁴	0.7	0.8	1.7	1.7	2.1	3.3	0.4	0.4
No Coverage	1.4 ^a	2.1	1.4	1.8	1.6	2.5	0.8	1.6

*Low precision; no estimate reported.

NOTE: Substance Use Disorder is defined as meeting criteria for illicit drug or alcohol dependence or abuse. Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in serious functional impairment. Serious mental illness estimates in 2011 may differ from previously published estimates due to revised estimation procedures. For details on the methodology, see Section B.4.3 in Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings*.

^a Difference between estimate and 2012 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2012 estimate is statistically significant at the 0.01 level.

¹ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁴ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.